

PYLSACT™ OINTMENT

An effective, safe treatment for haemorrhoids

BENEFITS

- Effective hemostyptic and astringent action to arrest bleeding, itching and also helps to “cast off” piles mass
- Repairs damaged tissues
- Effective cooling and soothing action to provide relief from burning sensation
- Potent, safe, anti-inflammatory and analgesic action relieve pain
- Antibacterial action treats infection at ano rectal site

PRODUCT CONCEPT

Pyslact ointment formulation offers potent therapeutic modality directed towards providing faster relief from pain, itching, bleeding, burning sensation associated with hemorrhoids and fissure and also helps ‘cast of piles mass’

MODE OF ACTION

HEMOSTYPTIC AND ASTRINGENT

*Symplocos racemosa*⁶ (Lodhra), *Rubia cordifolia* (Majishtha), *Glycyrrhiza glabra* (Yashtimadhu), *Berberis aristata* (Daruharidra)⁶, *Curcuma longa*⁶ (Haridra)

SOOTHING AND COOLING

*Nymphaea alba*⁹ (Nilofer), *Jasminum grandiflorum*³ (Jaati), *Glycyrrhiza glabra* (Yashtimadhu)

ANTIBACTERIAL

*Azadirachta indica*⁴ (Neem), *Curcuma longa* (Haridra), *Euphorbia nerifolia*¹ (Thuhar), *Calotropis procera*² (Aak)

TISSUE REJUVENATOR AND HEALING

Curcuma longa (Haridra), *Jasminum grandiflorum* (Jaati), *Symplocos racemosa*⁶ (Lodhra), *Sesamum indicum*⁵ (Til tel)

HELPS TO SHRINK OR CAST OFF PILES MASS

*Plumbago zeylanica*⁷ (Chitrak), *Euphorbia nerifolia*¹ (Thuhar)

ANALGESIC AND ANTI-INFLAMMATORY

*Calotropis procera*² (Aak), *Nerium odorum soland*⁸ (Kanermool)

DOCUMENTED RESEARCH REFERENCES

1. Nadkarni, Indian Materia medica vol 1, Pg 526, 2000.
2. Antiinflammatory efficacy of extracts of latex of *Calotropis procera* against different mediators of inflammation. (Mediators Inflamm. 2005 Aug 31; 2005(4):228-32)
3. Influence of ethanolic extract *Jasminum grandiflorum* linn flower on wound healing activity in rats. (Indian J Physiol Pharmacol. 2007 Apr-Jun;51(2):189-94)

4. Antibacterial activity of some plant extracts used in folk medicine. (J Herb Pharmacother. 2007; 7(3-4):191-201)
5. Wound healing activity of *Sesamum indicum* L seed and oil in rats. (Indian J Exp Biol. 2008 Nov; 46(11):777-82)
6. Plant medicines of Indian origin for wound healing activity: a review. *symplocos racemosa*. (Int J Low Extrem Wounds. 2003 Mar; 2(1):25-39)
7. Chuneekar, Bhavaprakash Nighantu, pg 23, 1998
8. Chuneekar, Bhavaprakash Nighantu, pg 316, 1998
9. Nadkarni, Indian Materia medica vol 1, Pg 859, 2000

PYLSACT OINTMENT COMPOSITION

Each gram contains extractives from (in %)

Aak (<i>Calotropis procera</i>)	2.89%
Thuhar (<i>Euphorbia nerifolia</i>)	2.89%
Chameli (<i>Jasminum grandiflorum</i>)	0.40%
Daruharidra (<i>Berberis aristata</i>)	0.40%
Haridra (<i>Curcuma longa</i>)	0.40%
Haritaki (<i>Terminalia chebula</i>)	0.40%
Karanj (<i>Pongamia glabra</i>)	0.80%
Kutki (<i>Picrorhiza kurroa</i>)	0.40%
Lodhra (<i>Symplocos racemosa</i>)	0.40%
Manjishtha (<i>Rubia cordifolia</i>)	0.40%
Neem (<i>Azadirachta indica</i>)	0.40%
Nilofer (<i>Nymphaea alba</i>)	0.40%
Padmakh (<i>Prunus cerasoides</i>)	0.40%
Patol (<i>Trichosanthes dioica</i>)	0.40%
Sariva (<i>Hemidesmus indicus</i>)	0.40%
Tutiya (Copper sulfate)	0.40%
Yashtimadhu (<i>Glycyrrhiza glabra</i>)	0.40%
Chitrak (<i>Plumbago Zeylanica</i>)	0.36%
Kanermool (<i>Nerium odorum soland</i>)	0.36%
Kasis (Ferrous sulphate)	0.36%
Manashila (Arsenic disulphide)	0.36%
Pippali (<i>Piper longum</i>)	0.36%
Saindhav (Rock salt)	0.36%
Satyanashi (<i>Argemone mexicana</i>)	0.36%
Soonth (<i>Zingiber officinale</i>)	0.36%
Taroi (<i>Luffa amara</i>)	0.36%
Vasa (<i>Adhatoda vasica</i>)	0.36%
Vidang (<i>Embelia ribes</i>)	0.36%
Til tel (<i>Sesamum indicum</i>)	0.36%
Ointment base	Q.S

INDICATIONS

- External and internal haemorrhoids (Internal and external piles)
- Anal fissures
- Fistula in ano

DIRECTION FOR USE: OINTMENT

Apply locally twice daily preferably after each evacuation or as directed by the physician.